

SUBJECT INDEX

B = Book Review C = Letter

- Activated carbon
 - adsorbed solvents stability 319-327
- Adhesives
 - occupational hazard 19-29, 307-317
- Air pollution 377-378^B
 - See also: Indoor environment
- Air sampling
 - coal tar pitch volatiles 52-54
 - compressed air for breathing 373^B
 - for quartz assessment 139-151
 - fungus spores 456-459
 - in pig houses 202-204
 - oil mist 335-348, 349-365
 - organic vapours 103-114
 - polycyclic aromatic hydrocarbons 481-495
 - size-selective 53, 140-143, 206-207, 518-521^C
 - total dust 89-102, 174-175, 203
 - wood dust 21, 174-175
- Air sampling instruments
 - CAMPEDS 139-151
 - cascade impactor 351-365, 456
 - compared, solvent exposure 295-306
 - cyclone 203, 206
 - impinger cf. membrane filter 64-67
 - passive 103-114, 263-265^C, 295-306, 319-327
 - personal 52-54, 89-102, 139-151, 163-170, 174-175, 295-306, 346, 351-352
- Allergy, occupational 125-130
- Amine exposure
 - roadworkers 446, 452
- Analysis
 - compressed air 373^B
 - oil mist 335-348
 - silica 145-150
 - welding fume 441
- Animal models 378^B
- Asbestos
 - airborne, in buildings 185-199
 - amosite 87, 187-189
 - chrysotile 63-75, 77-87, 187-189
 - conversion ratio, particle/fibre 70-71
 - crocidolite 189
 - fibre evaluation 63-75, 77-87, 185-189, 397-410, 411-425
 - fibre length distribution 66-67
 - fibre levels, mining and milling 68-69
 - historical exposure 63-75
- Barium
 - in welding fume 515-517^C
- Benzene-soluble material (BSM)
 - determination 52, 54, 57-58
 - exposure, coke ovens 58-59
 - PAH determination 481-482
- Biological monitoring
 - formic acid exposure 329-333
 - lead exposure 219-228
 - solvent exposure 295-306
- Bitumen exposure
 - roadworkers 446-454
- Blood lead 371^C (corr.)
- Breathing apparatus
 - compressed air for 373^B
- British Occupational Hygiene Society
 - Annual Conference 1984 1-18
 - Annual Conference 1985 229-261
 - Occupational Allergy Conference 1984 125-130
 - President 1986-1987: G.L. Lee 273-274
 - Technical Guide No.6 373^B
- Bone
 - vibration-associated changes 461-468
- Broncho-pneumonia
 - research prize 137-138
- Buildings
 - airborne fibres in 185-199
 - see also: Indoor environment
- CAMPEDS system 139-151
- Cancer Research, European Association for 525-526
- Car manufacturing
 - uv radiation exposure 163-170
- Carbon dioxide alarm 478-479
- Carbon monoxide monitor 478-479
- Carbonless copy paper
 - percutaneous absorption from, rats 115-122
- Cement dust exposure 449, 451
- Chemicals
 - control of exposure 231-236
 - health hazards 374-375^B
 - non-occupational health effects 375^B
- Chromium
 - CrVI production, MIG welding 427-434
 - exposure, plasma welding/cutting 156-158

Subject Index

- Coal tar exposure
 - roadworkers 446-449, 451
- Coke oven emissions
 - sampling, analysis, control 51-62
- Colour formers
 - percutaneous absorption, rats 115-122
- Compressed air
 - sampling and analysis 373^B
- Cyclone 203, 206

- Detector tubes
 - cf. passive samplers and biological monitoring 295-306
- Dust exposure
 - organic 204-207, 455-460
 - roadworkers 446-451
 - silica screening test 31-40

- Elbow
 - vibration-associated changes 461-468
- Endotoxin exposure
 - pig farmers 203-207
- Energy dispersive X-ray analysis 186
- Engineering
 - control 229-261, 267-268^B
 - design 229-261
- Environmental health
 - chemical hazards 374-375^B
- European Association for Cancer Research 525-526
- Exhaust hoods
 - capture efficiency 497-513
- Exposure Zone Screening Limit Value 31-40
- Extrapolation from animal models 378^B

- Farmers
 - formic acid exposure monitoring 329-333
- Fibre evaluation
 - asbestos type effect 400-402
 - comparison of methods 64-67, 77-87, 185-199, 397-410
 - graticule/mountant effect 402-405, 408-409
 - in buildings 185-189
 - inter-laboratory comparisons 71-74
 - quality control 411-425
- Fibres
 - airborne, in buildings 185-199
- Fibrous Aerosol Monitor (FAM)
 - cf. membrane filter method 77-87
- Filter holder
 - cassette 141, 203
 - cowl extension 185
 - IOM perforated front 53
 - multi-orifice end caps 17^{II}
 - open-faced 185
- Filters
 - for asbestos 64-67, 77-87, 185-191, 397-410
 - for coke oven emissions 53
 - for PAH 481-491
 - for quartz assessment 141, 145
 - for oil droplets 336, 346
 - for organic dusts 203, 456-457
 - for wood dust 21, 174
- Formaldehyde exposure
 - furniture industry 289-294
 - plywood plant 20-21, 23

- Formic acid
 - analysis in urine 329-333
- Foundries, brass
 - lead exposure in 41-49
- Foundries, iron and steel
 - silica exposure evaluation 31-40
- Fruit warehouses
 - airborne fungal spores in 455-460
- Fugitive emissions 232-235, 241-247
- Fume exposure
 - plasma welding/cutting 156-158
- Fume box
 - emission rate, welding 435-444
- Fume cupboards 523^B
- Fungal pesticides
 - occupational exposure 209-217
- Fungal spores
 - in fruit warehouses 455-460
- Furniture industry
 - formaldehyde exposure 289-294
 - solvent exposure 289-294
 - wood dust exposure 171-184

- Gas-modifier pumps 469-479
- Gas monitors
 - improved accuracy 469-479

- Impactor
 - airborne microflora analysis 456
 - oil mist determination 351-365
- Impinger
 - cf. membrane filter 64-67
- Indoor environment
 - air pollution 377-378^B
 - airborne fibres 184-199
 - health effects 375^B
 - offices 275-287
- Inspirable dust 89-102

- Joints
 - vibration-associated changes 461-468

- Lacquering
 - formaldehyde and solvent exposure 289-294
- Lead
 - analysis, blood and plasma 220-221
 - blood levels 371^C (corr.)
- Lead exposure
 - biological indicators of 219-228
 - brass foundry 41-49
- Lime dust exposure
 - roadworkers 446-449, 451

- Medicine, nautical 269-270^B
- Membrane filter method
 - cf. Fibrous Aerosol Monitor 77-87
 - cf. HSE method 185-191
 - cf. impinger 64-67
 - NIOSH cf. AIA 397-410
 - quality control 411-425
- Membrane filters
 - coke oven emissions 53
 - oil droplets 336, 346

Subject Index

- quartz assessment 141,145
- wood dust 21
- Microscopy
 - droplet sizing 351-362
 - fibre evaluation 186-191, 196-198
- Mines, hard rock
 - dust sampling and assessment 139-151
- Nautical medicine 269-270^B
- Nickel exposure
 - plasma welding/cutting 156-158
- Nitrogen oxides exposure
 - plasma welding/cutting 158-160
- Occupation health
 - chemical hazards 374-375^B
 - in developing countries 376^B
- Occupational hygiene
 - assessment 237-240
 - professional criteria 1-7
 - training 7-18
- Offices
 - occupational hygiene in 275-287
 - see also: Indoor environment
- Oil mist
 - particle size distribution 349-363
 - sampling and analysis 335-348
- Organic pollutants
 - sampling, silica gel 103-114
- Ozone
 - effect of Cr(VI) production in welding 430-434
- Ozone exposure
 - plasma welding/cutting 159-161
- Paint
 - formaldehyde exposure from 289-294
 - solvent exposure from 289-294, 307-317
- Passive sampling 103-114, 263-265^C, 295-306, 319-327
- Personal monitoring
 - uv radiation exposure 163-170
- Personal sampling
 - cf. passive and biological monitoring 295-306
 - coke oven emissions 52-54
 - hard rock mines 139-151
 - oil mist 346-347, 351-352
 - total dust 89-102
 - wood dust 174-175
- Pesticide exposure
 - fungal 209-217
 - plywood plant 21-22, 24-26
- Phenol exposure
 - plywood plant 21,23-24
- Phenoxazine
 - percutaneous absorption, rats 115-122
- Pig farming
 - airborne contaminants 201-208
- Plasma lead
 - cf. other biological indicators 219-228
- Plasma welding and cutting
 - exposure to toxic agents 153-161
- Plywood industry
 - air contaminants in 19-29
- Polycyclic aromatic hydrocarbons (PAH)
 - air sampling 22, 481-495
 - analysis 54-58
 - exposure
 - coke ovens 58-59
 - plywood plant 22, 25-26
 - roadworkers 446-449, 451-454
 - particle sizing 489
 - stability 486-490
- Polysulphone film badges 163-170
- Printing industry
 - solvent effects 307-317
- Prize
 - Albert Policard 137-138
- Protective clothing
 - chemicals permeation 381-395
- Pumps
 - gas-modifier 469-479
- Quality control, fibre counting 413-424
- Quartz exposure
 - sampling and assessment 139-151
 - screening test 31-40
- Regular Inter-Laboratory Counting Exchange (RICE) 411-425
- Respirators
 - FFR, fibre release from 131-133^C
 - guide to 269^C
 - helmet, protection factor 60
- Respiratory allergy 128
- Risk assessment
 - animal extrapolation 378^B
- Roadworkers
 - health hazards 445-454
- Safety Science Abstracts 271
- Sampling pumps
 - Simpeds 144
 - Simquads 145
- Seals, rotary pump
 - vapour detection at 241-247
- Selective Area Electron Diffraction 186
- Sensitizing agents
 - hygiene standards for 128-130
 - 'Sick building syndrome' 275-287
 - See also: Indoor environment
- Silage making
 - formic acid exposure monitoring 329-333
- Silica analysis 145-150
- Silica exposure
 - roadworkers 446-449
 - screening test 31-40
- Silica fibres
 - in sugar cane 365-370
- Silica gel
 - sampling, organic vapours 103-114
- Size-selective sampling
 - ACGIH recommendations 518-521^C
 - coke ovens 52-54
 - hard rock mines 140-143
 - pig housing 203, 206-207
- Skin allergy 126-127
- Solvent exposure
 - comparison of sampling methods 295-306
 - furniture industry 289-294
 - mixtures 307-317

Subject Index

- plywood plant 27
- roadworkers 447, 450-452
- Solvent recovery
 - exhaust ventilation 249-256
 - from activated carbon 319-327
- Sugar cane
 - silica fibres in 365-370
- Terpenes exposure
 - plywood plant 25-27
- Thermal control
 - office environment 276-286
- Toluene exposure
 - in solvent mixtures 307-317
- Toxicity testing 135^B
- Training in occupational health 7-18, 376^B
- Triarylmethane
 - percutaneous absorption, rats 115-122
- Ultraviolet radiation exposure
 - personal monitoring 163-170
- Ventilation
 - exhaust hood design 497-513
 - control of office environment 276-286
- solvent removal, discharge air 249-256
- systems 267-268^B
- Verticillium lecanii
 - toxicology 209-217
- Vibration exposure
 - bone and joint changes 461-468
- Welding
 - arc, automatic recording 123-124
- Welding fume
 - analysis 441
 - barium in 515-517^C
 - emission rate test 435-444
 - exposure 153-161
 - hexavalent chromium in 427-434
- Wood dust exposure
 - furniture industry 171-184
 - plywood plant 24-25
- Wrist
 - vibration effect 461-468
- X-ray diffraction
 - silica analysis 145-150

AUTHOR INDEX

- Addison, J. 131
 Alesbury, R. J. 1
 Amoudru, C. 137
 Attwood, P. 201
- BOHS Technology Committee
 Working Party on Protective
 Clothing, 381
- Bartolucci, G. B. 295
 Bergman, I. 469
 Björkholm, E. 319
 Blomquist, G. 455
 Boleij, J. S. M. 201
 Bradley, A. 373
 Breum, N. O. 31
 Bruce, J. C. 115
 Brugnone, F. 295
 Bryant, D. G. 63
 Burdett, G. J. 185
- Cameron, B. D. 115, 378
 Cargill, J. D. 249
 Chapman, R. 265
 Cherrie, J. 131
 Cherrie, J. W. 411
 Chiesura Corona, P. 295
 Chua, L. H. 219
 Coker, D. T. 263
 Crawford, N. P. 411
 Croquet, F. 461
- Dale, I. M. 371
 Darby, F. W. 445
 Davies, G. M. 51
 De Rosa, E. 295
 Delaine, J. 257
 Dewell, P. 267
 de Wit, R. 201
 DiVetta, P. 51
 Diffey, B. L. 163
 Dodgson, J. 131
 Draffan, G. H. 115
 Duggan, M. J. 411
 Dunsire, J. P. 115
- Eaton, K. K. 209
 Edeland, H. G. 163
 Edstrom, H. W. 63
 Ellenbecker, M. J. 497
 Elphick, J. 377
 Evans, M. J. 481
- Flitney, R. K. 241
 Flynn, M. R. 497
- Gill, F. 523
 Gonzalez-Fernandez, E. 397
 Gori, G. P. 295
 Guenier, J. P. 103
- Hale, A. R. 1
 Heederik, D. 201
 Hennessy, T. J. 209
 Hewitt, P. J. 427
 Hodgkinson, A. 51
 Holst, E. 31
 Howie, R. M. 131, 269
 Huberlant, J. M. 461
- Iles, P. J. 77
 Ingle, J. 123
- Jackson, P. A. 411
 Jackson, S. J. 135
 Jaffrey, S. A. M. T. 185
 Jones, A. L. 263
 Jones, P. A. 171
- Kauppinen, T. 19
 Knight, G. 139, 520
 Korhonen, K. 289
- Larkö, O. 163
 Lee, B. L. 219
 Leinster, P. 481
 Lhuillier, F. 103
 Liesivuori, J. 329
 Lim, L. E. 219
 Lundmark, B.-O. 319
- Madden, M. G. 427
 Madjar, V. M. 307
 Malchaire, J. 461
 Maldague, B. 461
 Mark, D. 89
 Martín, F. R. 397
 McCallum, R. I. 270
 McNulty, D. W. 209
 McQuiston, T. H. 41
 Meding, B. 163
 Menichini, E. 335, 349
 Moorcroft, S. 411
- Moreton, J. 435
 Muller, J. 103
- Nau, B. S. 241
 Newman, R. H. 365
- Ogden, T. L. 411
 Ong, C. N. 219
- Parsons, R. C. 63
 Perbellini, L. 295
 Phoon, W. O. 219
 Piney, M. 1
 Pope, W. 249
 Priha, E. 289
- Que Hee, S. S. 41
- Riipinen, H. 289
 Robertson, A. 131
 Rudling, J. 319
- Saltzman, B. E. 41
 Schroy, J. M. 231
 Shenton-Taylor, T. 77, 411
 Sherwood, R. J. 374, 376
 Smith, L. C. 171
 Snodin, D. J. 209
 Soderholm, S. C. 518
 Ström, G. 455
- Treble, R. D. 411
- van der Wal, J. F. 153
 Versloot, P. 201
 Vincent, J. H. 89
- Wester, U. 163
 Western, N. J. 237
 Willis, A. F. 445
 Winchester, R. V. 307, 445
 Wood, M. 265
- Yeo, R. B. G. 515
 Youle, A. 275, 375
- Zielhuis, R. L. 371